

Cylinder head resurfacer

The resurfacer RP330 is an easy to use machine designed for the resurfacing of car and light truck engine heads made of aluminium or cast iron.

The distinctive working system where the head feeds and the table stands, offers an high working precision, reducing the overall dimensions.

The main parts compounding the machine like head, table and column are made of strong cast iron and the assembly is mounted on a base cabinet which includes an easy to reach control panel.

Features like the segmented grinding wheel and the resurfacing tool, the coolant system complete with settling tank and pump allow to recondition whether cast iron surfaces or aluminium with great results.

Moreover the machine is supplied with a safety and splash guard and an efficient stone wheel dresser complete with diamond.

Consult the brochure or contact us for more information.

Images may show the product equipped with optional accessories









Standard equipment

Specifications

Base cabinet Table surface: 670x270 mm

Cooling plant complete of pump and settling tank Maximum distance table to grinding wheel: 330

Segmented grinding wheel complete of grinding mm

segments for cast iron Grinding wheel vertical travel: 205 mm

Splash and safety guard Diameter of grinding: 330 mm

Grinding wheel dresser Spindle speed Feed speed (on both directions):

Wheel dressing diamond 1400 rpm

Head resurfacing tool Wheel head motor power: 145 mm/min

Pair of parallel supports Feed motor power: 2.2 Kw

Locking clamps Coolant pump motor : 0.15 Hp

Wrench set Dimensions (LxLxH): 1220x1080x1670 mm

Weight: 445 kg

Accessories

Instruction manual

A ME STEEL

PVA015


Adjustable universal fixture wit parallels

UT0017

Insert tool holder with UT0014

UT0014

Replacement insert for UT0017 (10 pcs)





Grinding segments for cast iron

RPA099



Grinding segments for steel

RPB099



Grinding segments for aluminium

VMV330



Variable head spindle speed 700 ÷ 1400 rpm

VTV330



Variable head feed

DIM330



Automatic inversion of head feed

UT0003

Head resurfacing tool

MT0013

Wheel dressing diamond

UT0100

Wrench for UT0017

UT0150

Screw for insert for UT0017